


## DS-KB2421-IM Video Intercom Door Station

### Key Features

- Hands-free video intercom communication
- Supports two door stations in the intercom system
- Self-adaptive IR supplement (with photoresistor)
- One-touch calling
- Pinhole camera with 720 x 576 @ 25 fps
- Unlock controlling
- Anti-oxidant zinc alloy
- Vandal-resistant
- Convenient installation
- IP65



### Typical Application




## Specifications

<b>Model</b>		<b>DS-KB2421-IM</b>
<b>Video parameters</b>	<b>Camera</b>	1/4" CMOS
	<b>Resolution</b>	720 × 576
	<b>Video frame rate</b>	PAL: 25 fps
<b>Audio parameters</b>	<b>Audio input</b>	Built-in Omnidirectional Microphone
	<b>Audio output</b>	Built-in Loudspeaker
	<b>Audio quality</b>	Noise Suppression
<b>Light supplement</b>	<b>Light supplement mode</b>	Photosensitive IR Supplement, IR Range: 2 Meters
<b>Device interfaces</b>	<b>Four-wire interface</b>	1 Four-Wire Interface (1-ch Video Input, 1-ch Audio Input/Output, 1-ch Power Supply, 1-ch Grounding)
	<b>I/O output</b>	1 Relay Output
<b>General</b>	<b>Material</b>	Zinc Alloy
	<b>Power supply</b>	12 VDC, 0.35 A
	<b>Power consumption</b>	Max. 5W
	<b>Working temperature</b>	-30° C to +70° C (-22° F to 158° F)
	<b>Working humidity</b>	10% to 90%
	<b>Dimensions (L × W × H)</b>	145 mm × 49.2 mm × 26.45 mm (5.7" × 1.9" × 1.0")

## Available Model

DS-KB2421-IM

## Appearance



Index	Description
1	Microphone
2	Built-in Camera
3	Supplement Light
4	Photoresistor
5	Call Button
6	Loudspeaker

Distributed by



## HIKVISION

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Europe**  
T +31-23-55-42-770  
info.eu@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision UK**  
T +01628-902140  
support.uk@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Korea**  
T +82-31-731-8841  
sales.korea@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Africa**  
T +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761